Suzhou Senmu Electric Co., Ltd.

Smart Technology · Clean Life

产品介绍 Product introduction

小型手持除螨仪

Portable vacuum cleaner 型号: MC619;619-2;617, 631

1.产品概述 Overview of the product



MC 619;P-2

MC619;p



MC 617;P



MC 608

2.产品特点 Product features MC 619; MC 617; MC 619-2





反光灯罩板 (Patent No.ZL201511035145) 增强紫外线 杀菌功能加倍.

3.产品特点 Product features

MC 608



4.产品参数 Product parameters



Product name: UV Bed Vacuum Cleaner

产品名称: 除螨仪

Product size: 36*14.5*27cm 产品尺寸: 36*14.5*27cm

Cord length: 4.0M 电源线长度: 4.0M

Power: 300W 功率: 300W

Dust Capacity: 0.15L 尘杯容量: 0.15L Net Weight: 1.4kg

净重: 1.4kg Material: ABS 材质: ABS Suction: 10Kpa 吸力: 10Kpa Noise: ≤76db 噪音: ≤76db



5.产品参数 Product parameters



Product name: UV Bed Vacuum Cleaner

产品名称: 除螨仪

Model: MC608

产品型号: MC608

Product size: 36*14.5*27cm产品尺寸: 36*14.5*27cm

Cord length: 4.0M电源线长度: 4.0M

Power: 300W 功率: 300W

Dust Capacity: 0.5L • 尘杯容量: 0.5L Net Weight: 1.6kg

净重: 1.6kg Material: ABS 材质: ABS Suction: 10Kpa 吸力: 10Kpa

Noise: ≤76db • 噪音: ≤76db



6.产品参数 Product parameters

新品 NEW

Product name: UV Bed Vacuum Cleaner

产品名称:除螨仪 Model: MC631

产品型号: MC631

Product size: 211X205X145mm产品尺寸: 211X205X145mm


Cord length: 4M电源线长度: 4M

Power: 300W 功率: 300W

Dust Capacity: 0.5L • 尘杯容量: 0.5L Net Weight: 1.4kg

净重: 1.4kg Material: ABS 材质: ABS Suction: 10Kpa 吸力: 10Kpa Noise: ≤76db

• 噪音: ≤76db





Our company pursues product innovation with breakthrough technology, uses high-quality imported raw materials, and undergoes multiple sophisticated production processes and professional quality tests to continuously create high-quality household appliances.















Our company insists on taking mite removal device as the core line of development and design, and constantly innovates every year.

















Double dust cup mite remover CY610 (double beat AC version)

Function:

1: LED UV light

2: Double beat function

3: Double barrel + multi-cone (5 cones) filtration system

4: Extra large air inlet

5: Fragrance function

Specification:


Machine power: 300W

Suction: ≥11Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.5L Size: 280mm*200mm*138mm

	gle prod kaging s		Packaging size (outer box)						
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn		
330mm	230mm	150mm	340mm	240mm	165mm	NW. 1. 5 GW. 1. 95	1		





Double dust cup mite remover CY201 (electric roller brush AC version)

Function:

1: LED UV light

2: Strong magnetic attraction of roller + side take-off

3: Double barrel + multi-cone (5 cones) filtration system

4: Extra large air inlet

5: Fragrance function

Specification:

Machine power: 300W

Suction: ≥11Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.5L Size: 280mm*200mm*138mm

		le prod			Packaging size (outer box)						
	L	W	Н	L	W	Н	Weight (kg)	pcs./ctn			
	330mm	230mm	150mm	340mm	240mm	165mm	NW. 1. 5 GW. 1. 98	1			







Double dust cup mite remover CY202 (electric roller brush AC version)

Function:

1: LED UV light

2: Strong magnetic attraction of roller + side take-off

3: Double barrel + multi-cone (5 cones) filtration system

4: Extra large air inlet

5: Fragrance function

Specification:

Machine power: 300W Suction: ≥11Kpa


Noise: ≤81dB

Dust bucket capacity: ≥0.5L Size: 260mm*200mm*175mm

	le proc			Packaging size (outer box)					
L W H		L	WH		Weight (kg)	pcs./ ctn			
275mm	230mm	195mm	285mm	240mm	210mm	NW. 1. 5 GW. 2. 0	1		







Double dust cup mite remover CY203 (electric roller brush AC version)

Function:

1: LED UV light

2: Strong magnetic attraction of roller + side extraction

3: Double barrel + multi-cone (5 cones) filtration system

4: Extra large air inlet

5: Fragrance function

6: Screen display

Specification:

Machine power: 300W

Suction: ≥11Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.5L Size: 270mm*200mm*180mm

	gle proc kaging		Packaging size (outer box)						
L W H		L	W		Weight (kg)	pcs./ctn			
310 mm	230 mm	205 mm	320mm	240mm	215mm	NW. 1. 6 GW. 2. 1	1		









Double cup mite removal device CY608 series (double beat AC model)

Function:

- 1: LED UV light
- 2: Double tapping function
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping

Specification:

Machine power: 400W


Suction: ≥13Kpa Noise: ≤81dB


Dust bucket capacity: ≥0.6L Size: 290mm*240mm*235mm

	gle pro		Packaging size (outer box)						
L	W	Н	L	W	Н	Weight(kg)	pcs./ctn		
320mm	275mm	250mm	330mm	285mm	265mm	NW. 1. 9 GW. 2. 65	1		









Smart mite removal device CY003 (electric roller brush AC version)

Function:

- 1: LED UV + ultrasonic
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: RED/GREEN light gradient + dust sensor

Specification:

Machine power: 400W Suction: ≥13Kpa

Noise: ≤81dB


Dust bucket capacity: ≥0.6L Size: 290mm*240mm*235mm Product weight: 1.96Kg


Line length: about 5m

	gle prod kaging		Packaging size (outer box)						
L	W	Η	L W H			Weight(kg)	pcs./ctn		
320mm	275mm	250mm	330mm	285mm	265mm	NW. 1. 9 GW. 2. 65	1		









Smart Mite Removal Device CY003 Series (Wireless Lithium Battery Version)

Function:

- 1: LED UV + ultrasonic
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: RED/GREEN light gradient + dust sensor

Specification:

Digital brushless motor specifications:

Motor power: 90W

Vacuum degree: 13-15KPA

Lithium battery capacity: 2600MAH

Voltage: 14.8V

Low-speed endurance: 34 minutes High-speed endurance: 24 minutes

		le produ aging s		Packaging size (outer box)					
	L W H			L	W	Н	Weight (kg)	pcs./ctn	
	320mm	275mm	250mm	330mm	285mm	265mm	NW. 1. 9 GW. 2. 65	1	









Double cup mite removal device CY609 series (double beat AC model)

Function:

- 1: LED UV light
- 2: Double tapping function
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping

Specification:

Machine power: 400W

Suction: ≥13Kpa Noise: ≤81dB


Dust bucket capacity: ≥0.6L Size: 280mm*240mm*200mm Product weight: 1.95 Kg Line length: about 5m

		le procaging			Packaging size (outer box)						
	L W H		L	L W		H Weight (kg)					
	310mm	275mm	250mm	320mm	285mm	265mm	NW. 1. 9 GW. 2. 54	1			









Smart Mite Remover CY009 Series (Electric Roller Brush AC Version)

Function:

1: LED UV light

2: Strong magnetic attraction of roller + side extraction

3: Double barrel + multi-cone (5 cones) true double cup filtration system

4: Multi-function digital display, one-button ash dumping

Specification:

Machine power: 400W Suction: ≥13Kpa

Noise: ≤81dB


Dust bucket capacity: ≥0.6L Size: 280mm*240mm*200mm Product weight: 1.95 Kg Line length: about 5m

		le pro caging		Packaging size (outer box)					
	L	W	Н	L	W	Н	Weight (kg)	pcs./ctn	
	310	275	250	320	285	265	NW. 1. 9 GW. 2. 54	1	









Smart Mite Removal Device CY009 Series (Wireless Lithium Battery Version)

Function:

1: LED UV light

2: Strong magnetic attraction of roller + side extraction

3: Double barrel + multi-cone (5 cones) true double cup filtration system

4: Multi-function digital display, one-button ash dumping

Specification:

Digital brushless motor specifications:

Motor power: 90W

Vacuum degree: 13-15KPA

Lithium battery capacity: 2600MAH

Voltage: 14.8V

Low-speed endurance: 34 minutes High-speed endurance: 24 minutes

	le pro aging		Packaging size (outer box)						
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn		
310	275	250	320	285	265	NW. 1. 9 GW. 2. 54	1		









Smart Mite Remover CY303 Series (Electric Roller Brush AC Version)

Function:

- 1: LED UV + ultrasonic
- 2: Double roller strong magnetic suction + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: RED/GREEN light gradient + dust sensor

Specification:

Machine power: 400W

Suction: ≥13Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.6L Size: 309mm*240mm*236mm

	Single product packaging size			Packaging size (outer box)					
	L	W	Н	L	W	Н	Weight (kg)	pcs./ctn	
	330	275	250	340	285	265	NW. 2. 2 GW. 2. 9	1	









Large Capacity Mite Removal Device CY800 Series (Double Beat AC Model)

Function:

- 1: LED UV light
- 2: Double tapping function
- 3: Single barrel + multi-cone (6 cones) true suction loss-free filtration system
- 4: Multi-function digital display, one-button ash dumping

Specification:

Machine power: 400W

Suction: ≥13Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.6L Size: 298mm*240mm*192mm Product weight: 1.92 Kg Line length: about 5m

	gle pro kaging		Packaging size (outer box)					
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn	
			330	265	215		1	





Smart Mite Remover CY820 Series (Electric Roller Brush AC Version)

Function:

- 1: LED UV
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: RED/GREEN light gradient + dust sensor

Specification:

Machine power: 400W

Suction: ≥13Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.6L Size: 298mm*240mm*192mm Product weight: 1.95 Kg

Line length: about 5m

	gle pro kaging		Packaging size (outer box)					
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn	
			330	265	215	NW. 1. 9 GW. 2. 65	1	









Smart Mite Removal Device CY810 Series (Wireless Lithium Battery Version)

Function:

- 1: LED UV + ultrasonic
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: Gradual red and green indicator light + dust sensor

Specification:

Digital brushless motor specifications:

Motor power: 90W

Vacuum degree: 13-15KPA

Lithium battery capacity: 2600MAH

Voltage: 14.8V


Low-speed endurance: 34 minutes High-speed endurance: 24 minutes

Single product packaging size			Packaging size (outer box)					
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn	
			330	265	215	NW. 1. 9 GW. 2. 65	1	









Smart Mite Removal Device CY830 Series (Electric Roller Brush AC Version)

Function:

1: LED UV light

2: Double roller strong magnetic suction + side take-off

3: Three barrels + multiple cones (6 cones) true three-cup filtration system

4: Multi-function digital display, one-button ash dumping

5: Red and green light gradient + dust sensor

Specification:

Machine power: 400W

Suction: ≥10Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.6L Size: 298mm*240mm*192mm Product weight: 1.95 Kg

Cord length: about 5m

	gle pro kaging		Packaging size (outer box)				
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn
			330	265	215	NW. 2. 2 GW. 2. 9	1









Smart Mite Remover CY918 Series (Electric Roller Brush AC Version)

Function:

- 1: LED UV light
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: Red and green gradient light + dust sensor

Specification:

Machine power: 300W Suction: ≥13Kpa

Noise: ≤81dB

Dust bucket capacity: ≥0.6L Size: 295mm*220mm*182mm

Product weight: Kg Cord length: about 5m

	gle pro kaging		Packaging size (outer box)					
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn	
							1	









Smart Mite Removal Device CY918 Series (Wireless Lithium Battery Version)

Function:

- 1: LED UV + ultrasonic
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: Red and green gradient light + dust sensor

Specification:

Digital brushless motor specifications:

Motor power: 90W

Vacuum degree: 13-15KPA

Lithium battery capacity: 2600MAH

Voltage: 14.8V


Low-speed endurance: 34 minutes High-speed endurance: 24 minutes

Single product packaging size			Packaging size (outer box)				
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn
							1









Smart Mite Remover CY168 Series (Electric Roller Brush AC Version)

Function:

- 1: LED UV light
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: Red and green gradient light + dust sensor

Specification:

Machine power: 300W

Suction: ≥13Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.6L Size: 298mm*220mm*182mm

Product weight: Kg Cord length: about 5m

	le pro caging		Packaging size (outer box)					
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn	
							1	







Smart Mite Removal Device CY168 Series (Wireless Lithium Battery Version)

Function:

- 1: LED UV + ultrasonic
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: Red and green gradient light + dust sensor

Specification:

Digital brushless motor specifications:

Motor power: 90W

Vacuum degree: 13-15KPA

Lithium battery capacity: 2600MAH

Voltage: 14.8V


Low-speed endurance: 34 minutes High-speed endurance: 24 minutes

Single product packaging size			Packaging size (outer box)				
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn
							1









Smart Mite Remover CY268 Series (Electric Roller Brush AC Version)

Function:

1: LED UV light

2: Strong magnetic attraction of roller + side extraction

3: Double barrel + multi-cone (5 cones) true double cup filtration system

4: Multi-function digital display, one-button ash dumping

5: Red and green gradient light + dust sensor

Specification:

Machine power: 300W

Suction: ≥13Kpa Noise: ≤81dB

Dust bucket capacity: ≥0.6L Size: 324mm*220mm*182mm

Product weight: Kg Cord length: about 5m

	Single product packaging size			Packaging size (outer box)				
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn	
							1	









Smart Mite Removal Device CY268 Series (Wireless Lithium Battery Version)

Function:

- 1: LED UV + ultrasonic
- 2: Strong magnetic attraction of roller + side extraction
- 3: Double barrel + multi-cone (5 cones) true double cup filtration system
- 4: Multi-function digital display, one-button ash dumping
- 5: Red and green gradient light + dust sensor

Specification:

Digital brushless motor specifications:

Motor power: 90W

Vacuum degree: 13-15KPA

Lithium battery capacity: 2600MAH

Voltage: 14.8V

Low-speed endurance: 34 minutes High-speed endurance: 24 minutes

Single product packaging size			Packaging size (outer box)				
L	W	Н	L	W	Н	Weight (kg)	pcs./ctn
							1

Business areas & customers

Adhering to the service concept of "customer first", our company has established a good and stable cooperative relationship with powerful dealers and traders at home and abroad. The company has served well-known companies such as China, Spain, South Korea, Japan, Southeast Asia, the United States, and Europe.

The products have been sold on many well-known platforms, including China's JD.com official self-operated mall, Germany's Aldi supermarket, Germany's Lidl supermarket, Germany's Woolworth supermarket, the United States' Costco supermarket, and South Korea's Lotte supermarket. The products manufactured by Senmu Electric are sold well in China, South Korea, Japan, Europe, the United States, Australia, Southeast Asia and other markets.









THANK YOU

Suzhou Senmu Electric Co., Ltd.